

Princess V39 #195 (2016)

	ENGINES & DRIVE	
1	Twin Volvo Penta D6-370 DP (2 x 370 mhp)	
1	Joystick control	
1	Bowthruster (60 Kgf)	
	HULL COLOUR	
	White (with dark grey water line, black antifouling & dark blue hull pinstripe,	
	hull & bathing platform fendering is white with stainless steel insert, engine	
1	air intake cover is in charcoal grey)	
	INTERIOR FURNITURE	
	Walnut interior wood satin finish	
1	(aft saloon and galley floor is in walnut as standard)	
<u> </u>	Saloon to have timber floor in place of carpet (Note: Alba haze with Alba oak	
1	interiors and walnut with rovere oak & walnut interiors. Companionway	
_	,	
	LAYOUT	
	Sunbed option – aft seat extension with sliding backrest so as to convert to	
1	sunbed as required	
1	Aft cabin to have sliding double berth conversion	
1	Galley and optional saloon wood to have V groove finish	
	GALLEY	
1	Galley worktops are Avonite in colour:	
	BATHROOMS	
1_	Bathroom countertops in Avonite are Carrara White (gloss finish)	
1_	Bathroom floors in Avonite are Koko White (satin finish)	
	COLOUR SCHEME	
1	Colour schemes from the Quartz VI range of fabrics as standard	
$\frac{1}{1}$	Additional charge for Quartz leather upholstery in deck saloon	
	and the second of the second o	
	DECK HARDWARE	
1	Sliding side window at helm position (aperture 42cm H x 38cm L)	
1	Fit drop nose pulpit in place of standard wraparound	
	Stern anchoring system	
	(20Kg stainless steel Bruce anchor with 50 metres lead weighted rope,	
	electric anchor winch and rope storage bin located in engine room operated	
1	by hand held remote control)	
1	Teak laid side decks and foredeck	
O++	datum	V2010F
Οι t,	datum	V39195
Köp	are Säljare	



	Raised teak deck at helm position (60cm wide x 10cm high) which folds up	
1	below helm seat when not required	
1	Stainless steel anchor fore (16 kg) instead of standard	
	GENERATOR	
1	ONAN 4 Kw/50Hz generator (with hydrohush exhaust system and sound	
	FLECTRICAL	
1	ELECTRICAL Continental 220v/240v sockets	
$\frac{1}{1}$	Continental 220v/240v sockets Fit SMEG Domino lava brick BBQ	
1	12v Exterior splashproof power point (each - specify location)	
	White low level cockpit & bathing platform LED lights (in addition to	
1	standard LED overhead lighting)	
1	Supply and fit dimmer switch to LED cockpit overhead lights	
1	Fit dimmer switch to saloon lights	
1	Fit two additional down lights above table in dinette area	_
_	6	
	AUDIO VISUAL & COMMUNICATIONS	
	STANDARD SYSTEM	
	Saloon - Fusion MS-UD650 Radio/iPod/MP3 player	
1	Cockpit - waterproof speakers connected to saloon stereo	
	Saloon - 28" LED TV when this option is requested the standard	
1	iPod/MP3/Radio is upgraded to Fusion MS-AV750i Radio/DVD/MP3 player	
	NAVICATION	
	NAVIGATION	
	Raymarine i70 colour multifunction display (for speed, distance, trip, depth,	
1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc)	
	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when	
1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified	
	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad	
1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is	
1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified)	
1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts	
1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified)	
1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF	
1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts	
1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST	
1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier	
1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier Eberspacher D4 Airtronic boat heating (includes special air silencer on	
1 1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier Eberspacher D4 Airtronic boat heating (includes special air silencer on heater air inlet and outlets in all cabins, saloon & bathroom) bathrooms	
1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier Eberspacher D4 Airtronic boat heating (includes special air silencer on	
1 1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier Eberspacher D4 Airtronic boat heating (includes special air silencer on heater air inlet and outlets in all cabins, saloon & bathroom) bathrooms including inlet/outlet silencers and digital controls	
1 1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier Eberspacher D4 Airtronic boat heating (includes special air silencer on heater air inlet and outlets in all cabins, saloon & bathroom) bathrooms including inlet/outlet silencers and digital controls	
1 1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier Eberspacher D4 Airtronic boat heating (includes special air silencer on heater air inlet and outlets in all cabins, saloon & bathroom) bathrooms including inlet/outlet silencers and digital controls	
1 1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier Eberspacher D4 Airtronic boat heating (includes special air silencer on heater air inlet and outlets in all cabins, saloon & bathroom) bathrooms including inlet/outlet silencers and digital controls	V39195
1 1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier Eberspacher D4 Airtronic boat heating (includes special air silencer on heater air inlet and outlets in all cabins, saloon & bathroom) bathrooms including inlet/outlet silencers and digital controls Eberspacher heater outlet point in cockpit area with diverter valve	V39195
1 1 1 1 1	Raymarine i70 colour multifunction display (for speed, distance, trip, depth, depth alarm, water temperature etc) Automatic pilot (Raymarine p70R with colour display and rate gyro) when sterndrive joystick control specified Raymarine GS165 Chartplotter with separate keypad Raymarine HD colour radar with 18", 4Kw Radome (only if chartplotter is specified) European version plotter charts Raymarine 260 VHF HEATING / DEMIST Windscreen demist system using warm air heater powered from calorifier Eberspacher D4 Airtronic boat heating (includes special air silencer on heater air inlet and outlets in all cabins, saloon & bathroom) bathrooms including inlet/outlet silencers and digital controls Eberspacher heater outlet point in cockpit area with diverter valve	V39195



HOLDING TANK / TOILETS Electric discharge of holdingtank

EXTERIOR UPHOLSTERY / CANVAS / COVERS

Helm & cockpit seating to be Movida Vogue with contrast detail to helm seat plinth, back of helm seats, back of portside curved backrest & inlay to

- 1 aft cockpit backrest cushions
- 1 Foredeck sunbed cushions in Movida Vouge with contrast colour to cushion

Charcoal grey sunbrella anti-reflective cover to horizontal area behind

1 windscreen (easily removable, located by poppers)

Full height cockpit cover in dark grey sunbrella with removable sides and back (on telescopic stainless steel frame & vertical supports) in place of

1 standard tonneau cover (top acts as sun awning when sides are removed)

ACCESSORIES

Princess China (5 piece consisting of plate, side plate, bowl, cup & saucer) - 6

- 1 place setting
- 1 Princess Glasses 6 wine, 6 tumblers
- 1 David Mellor 'Paris' Cutlery (6 pieces) 6 place set

SEA DELIVERY, SHIPPING AND DELIVERY

- 1 'Transhield' shipping cover
- 1 Road transport Plymouth to Vindön
- 1 Launch craft and make ready for sea delivery including craft being filled with

Ort, datum		V39195
Köpare	Säljare	
	Princess Yachts West Sweden AB princessyachts.se	3 (4)



	SEK	GBP (£)
Sum of chosen rows, excl VAT	4 222 078	383 825
VAT 25%	1 055 520	95 956
Sum of chosen rows, incl VAT	5 277 598	479 782

Ort, datum		V39195
Vänara		
Köpare	Säliare	